



Westinghouse

Stainless Steel Electric Water Heater

BUILT
TO LAST
LONGER

No Anode
Rods Needed



Made in the USA



INDUSTRY
BEST
LIFETIME
WARRANTY

Lightweight
and Durable

40, 50, 80,
100 & 115
Gallon Tanks



Stainless Steel Electric Water Heater

THERMOSTAT AND HIGH LIMIT CONTROLS:

Adjustable temperature range up to 160° F

HOT WATER CONNECTION:

Outlet connection on the top of the tank (with built in Heat Traps)

THE FINEST PROTECTION:

Laser welded through a concentrated heat source producing high quality, long lasting, 316L stainless steel tank construction (lightweight) - Superior corrosion resistance, eliminates the need for anode rods, protects against harsh water conditions for a lifetime of durability against leaks - Limited LIFETIME Warranty (with online registration)

MINIMAL HEAT LOSS:

Heavy-duty insulation

STAINLESS STEEL INCOLOY ELEMENTS:

Stainless steel screw plug increases corrosion resistance for longer element life versus conventional elements



STANDARD FEATURES

- Stainless Steel Tank
- Heavy Duty Insulation
- Electrical Connection Box
- Limited LIFETIME warranty
(10 year warranty if not registered online)

IN THE BOX

- T & P Relief Valve
- Installation Manual
- Brass Full Port Drain Valve

**NO ANODE
RODS NEEDED**
RESISTS
SCALE BUILD UP
**LIGHT
WEIGHT**

THE WESTINGHOUSE ELECTRIC: STAINLESS STEEL WATER HEATER

The Westinghouse Electric Water Heater combines high quality stainless steel construction and energy efficient operation, providing long draws of hot water without consuming large amounts of energy. A cleverly designed water connection directs cold water to the heating element near the bottom of the tank to minimize the mixing of cold and hot water. Durable components, low standby heat losses, high recovery rates, and the industry's strongest warranty make the Westinghouse Electric Water Heater an ideal choice for electric water heating needs.

A Closer Look

WER040 &
WER050




WER080,
WER100
& WER115

T&P Valve
Alternate
Hot Outlet

Two
Stainless
Steel
Incoloy
Elements

Drain



The Inlet &
Outlet have
Built in Heat
Traps, Keeping
the Heat in the
Tank for Greater
Efficiency

316L
Stainless
Steel Tank

**Our Components are Made
of Durable Materials:**

Inlet and
Outlet Nipples
Constructed of
Durable Brass

Stainless Steel
Incoloy Elements

316 L Stainless Steel
Tank Construction

**Made with High
Grade 316L Stainless
Steel Materials**

The Advantages

Stainless Steel VS Glass-Lined



Westinghouse's
Stainless Steel Tank
Lightweight



Top Competitor's
Glass-lined Tank
Very Heavy


Minimizes Scale Build Up
Prolongs Tank Life
No Need for Anode Rods
Lightweight Construction

NO Anode Rods Needed!


All coated tanks require anodes to delay the inevitable corrosion and tank failure. The average residential water heater lasts about 13 years. The Westinghouse residential stainless steel tank will outlast any coated steel tank in the market.




Dimensions & Specifications



WER080 & WER115



WER040 & WER050



WER080, WER100 & WER115

SPECIFICATIONS AND DIMENSIONS						WATER TEMPERATURE RATINGS		
Model	Gal.	A	B	C	D	Minimum Delivered Temp.	Maximum Delivered Temp.	High Temp. Limit
WER040C2X045	40	5.75"	56.5"	54.25"	19.5"	110°F 43.3 C	150°F 65.5 C	170°F 76.6 C
WER050C2X045	50	5.75"	66.75"	66.75"	19.5"			
WER080C2X045	80	6.5"	60"	69"	23.25"			
WER100C2X045	100	7.25"	56.5"	61"	27"			
WER115C2X045	115	7.25"	60.25"	70.5"	27"			

Model	Wattage	Voltage	Height/ Diameter	First Hour Delivery	Recovery @ 90° F Rise	Energy Factor	Shipping Weight
WER040C2X045	4500	240	54.25"/19.5"	48 Gallons	20 Gallons	.92	104 lbs
WER050C2X045	4500	240	66.75"/19.5"	55 Gallons	20 Gallons	.90	118 lbs
WER080C2X045	4500	240	69"/23.25"	76 Gallons	20 Gallons	.92	151 lbs
WER100C2X045	4500	240	61"/27"	88 Gallons	20 Gallons	.90	188 lbs
WER115C2X045	4500	240	70.5"/27"	100.5 Gallons	20 Gallons	.86	224 lbs